



 **MANITOU**



				MANITOU	MANITOU	MANITOU
				ME418	ME420	ME425 C
		Q	t	1,8	2	2,5
		c	mm	500	500	500
		x	mm	406 ¹⁾	448 ¹⁾	448 ¹⁾
		y	mm	1380	1485	1485
			kg	3620	3860	4240
			kg	4766/654	5157/703	6044/696
			kg	1933/1687	1698/2162	1917/2323
				21x 8-9	23x 9-10	23x 9-10
				5.00-8	18x 7-8	18x 7-8
				2x/2	2x/2	2x/2
		b10	mm	938	1058	1058
		b11	mm	897	960	960
		α / β		5/10	5/10	5/10
		h1	mm	1975	2005	2005
		h2	mm	145	140	140
		h3	mm	3000 ²⁾	3000 ²⁾	3000 ²⁾
		h4	mm	3565	3650	3650
		h6	mm	2145	2170	2170
		h10	mm	275	303	303
		l1	mm	3185	3345	3475
		l2	mm	2115	2275	2325
		b1	mm	1138	1265	1265
		s / e / l	mm	35x100x1070	40x100x1070	40x122x1150
				FEM2A	FEM2A	FEM2A
		b3	mm	1000	1038	1038
		m1	mm	81	91	91
		m2	mm	110	120	120
		Ast	mm	3591	3720	3911
		Ast	mm	3690	3820	4010
		Wa	mm	1815	2040	2090
		b13	mm	111	98	98
			km/h	13/14	13/14	12,5/14
			m/s	0,29/0,41	0,29/0,42	0,28/0,43
			m/s	0,47/0,43	0,47/0,44	0,42/0,43
			N	9500/11000	12000/12500	16000/17000
			%	13/14	13/14	13/14
			kW	6,8	9,1	9,1
			kW	8,6	8,6	8,6
				DIN 45531 A	DIN 45531 B	DIN 45531 B
			V / Ah	48/420 ³⁾	48/700 ³⁾	48/700 ³⁾
			bar	145	175	175
			l/min	65	65	65
			dB	71	71	72

1 -
2 -
3 -



